

## Equipment Setup For Scoring

\*\*\*\*\* OPTIONAL SECTION TO CONNECT ADDITIONAL LAPTOPS \*\*\*\*\*

Setup instructions for connecting additional client laptops to the network that are not already part of the standard MotoTally package:

1. Uninstall existing / old version of MotoTally if it exists:
  - a. Start menu | Control Panel | Add / Remove Programs. Select MotoTally application from list of apps, click Remove button.
2. Install new version of MotoTally:
  - a. Run file MotoTallySetup\_D14\_YYYY\_MM\_DD\_x.x.xx.msi (from a flashdrive, CD, etc.) where YYYY=Year, MM=Month, DD=Day, and x.x.xx= application version number. These values change as new updates are released, and helps to identify that you are installing the correct version.


Follow prompts, accept defaults. In rare instances, the MT setup program may complain that certain supporting files need to be installed prior to running the MotoTally installation. If that is the case, you'll need to first install the files contained in the Supporting Files folder on the flash drive. Contact Bill Smith at (248) 891-1400 for details.

3. Check that alternate IP is in place:
  - a. Start menu | Settings | Network Connections (or access Network Connections via Control Panel)
  - b. Right-click on Local Area Connection, select Properties...
  - c. Select Internet Protocol (TCP/IP) from list, click on Properties... button
  - d. Select Alternate Configuration tab
  - e. Select User Configured option button
  - f. In IP Address field, enter or confirm it contains: 10.1.1.xxx where xxx is a unique number for each additional laptop on the network. Begin with using 110, then 111, 112, etc.
  - g. In Subnet Mask field, enter or confirm that it contains: 255.255.255.0
  - h. Select OK, then Close to exit out of all forms
  - i. Restart / shutdown laptop

\*\*\*\*\* OPTIONAL SECTION END \*\*\*\*\*

\*\*\*\*\* OPTIONAL SECTION IF USING ADDITIONAL LAPTOPS \*\*\*\*\*

16. For any additional client laptops added to the network (other than the 2 standard MotoTally laptops), they need to be told where to find the MotoTally database. Once installed, start MT on the new client laptop. You will get an error message indicating that the database can't be found (this is to be expected). The error message may be behind the splash screen. Click on the message box behind the splash screen to bring it to the forefront. Click OK to dismiss the error message, at which point MT will display a Database Settings dialog box:



Click the Browse... button, which will display the Open dialog box. In the File Name field, type in:

[\\10.1.1.101\mt](#)

... and then press the ENTER key. This is the path to the MT server laptop. All client laptops point to this path. At this point the new client laptop should try to locate and connect to the server laptop. If it does connect, you should then navigate to either the AMA or FES folder on the server laptop for the appropriate database file (AMA = D14 event, FES = Family Enduro), see the single file name either D14AMA.mdb or D14FES.mdb displayed. If so, select this file, and select OK, then finally click Save DB Connection. MT will prompt you to restart the application for the change to take effect. Do this on each of the new client laptops added / connected to the network.

If for some reason the client laptops cannot see the server, you may have to wait a few minutes for all laptops to be recognized on the network. If that still doesn't work, you may have to reboot the client laptops and try again.

\*\*\*\*\* OPTIONAL SECTION END \*\*\*\*\*